

# Safety Data Sheet

Product Name: WHITE MAGIC SEALER/WAX 16

Product identifier: 75A

Revision Date: 05-27-2015

Replaces:

**Auto Magic**  
*Professional Car Care*<sup>®</sup>

## 1. Identification

Product Name: **WHITE MAGIC SEALER/WAX 16**

Product identifier: 75A

Chemical Manufacturer /  
Importer: Auto Wax - An ITW Company

Auto Magic<sup>®</sup>  
1275 Round Table Drive  
Dallas, TX 75247

Emergency telephone number: CHEMTREC: 1-800-424-9300  
CANUTEC: 1-613-996-6666

## 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification: Not classified as hazardous under GHS

Hazards not otherwise  
classified: No data available

## 3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Hyrotreated Heavy Naphthe	68551-16-6	10 - 30

the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

## 4. First-aid measures

**Eye Contact:** Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.

**Skin Contact:** Wash with soap and water.

**Inhalation:** This material does not present a hazard if inhaled. Remove individual to fresh air after an airborne exposure if any symptoms

# Safety Data Sheet

Product Name: WHITE MAGIC SEALER/WAX 16

Product identifier: 75A

Revision Date: 05-27-2015

Replaces:

<b>Ingestion:</b>	develop, as a precautionary measure. No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.
<b>Immediate medical attention and special treatment needed,:</b>	No additional first aid information available

## 5. Fire-fighting measures

<b>Suitable extinguishing media:</b>	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid.
<b>Unsuitable extinguishing media:</b>	No data available
<b>Fire and/or Explosion Hazards:</b>	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
<b>Hazardous Combustion Products:</b>	Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide
<b>Special protective equipment and precautions for fire-fighters:</b>	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures:</b>	No adverse health affects expected from the clean-up of spilled material. Follow personal protective equipment recommendations found in Section VIII of this MSDS.
<b>Methods and material for containment and cleaning up:</b>	No special spill clean-up considerations. Collect and discard in regular trash.

## 7. Handling and storage

<b>Precautions for safe handling:</b>	No special handling instructions due to toxicity. As with all chemicals, good industrial hygiene practices should be followed when handling this material.
<b>Conditions for safe storage:</b>	Store in a cool dry place. Isolate from incompatible materials.
<b>Materials to Avoid/Chemical Incompatibility::</b>	Strong oxidizing agents Strong acids Strong alkalies

# Safety Data Sheet

Product Name: WHITE MAGIC SEALER/WAX 16

Product identifier: 75A

Revision Date: 05-27-2015

Replaces:

## 8. Exposure controls/personal protection

### Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available			

### Appropriate engineering controls.:

No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits

### Eye Protection:

Wear safety glasses when handling this product. Wear goggles and a Face shield

### Skin Protection:

Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where use can result in skin contact, practice good personal hygiene. Use of protective coveralls and long sleeves is recommended.

### Respiratory Protection:

No respiratory protection required under normal conditions of use. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.

### Other Protective Equipment:

Wear goggles and a Face shield Where use can result in skin contact, practice good personal hygiene. Use of protective coveralls and long sleeves is recommended.

### General Hygiene Conditions:

As with all chemicals, good industrial hygiene practices should be followed when handling this material.

## 9. Physical and chemical properties

Appearance (physical state):	No data available
Color:	No data available
Odor:	No data available
Odor threshold:	No data available
pH:	No data available
Melting Point/Freezing Point (°C):	No data available
Initial Boiling Point and Boiling Range (°C):	100
Flash Point (°C):	210
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available

# Safety Data Sheet

Product Name: WHITE MAGIC SEALER/WAX 16

Product identifier: 75A

Revision Date: 05-27-2015

Replaces:

Upper Flammable/Explosive Limit:	No data available
Lower Flammable/Explosive Limit:	No data available
Vapor Pressure:	17.5 MMHG@20C/68F
Vapor Density:	No data available
Relative Density:	Not determined
Solubility(ies):	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition Temperature (°C):	No data available
Decomposition Temperature::	No data available
Viscosity:	No data available

## 10. Stability and reactivity

Reactivity:	No data available
Chemical stability:	Stable under normal conditions.
Conditions to avoid:	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Contamination.
Incompatible materials:	Strong oxidizing agents Strong acids Strong alkalis
Hazardous decomposition products:	Carbon dioxide Carbon monoxide Formaldehyde Silicon dioxide

## 11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and eye contact):	Inhalation, Ingestion, Skin contact, Eye contact
--	--

### Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	No hazard in normal industrial use.
Skin Contact:	No hazard in normal industrial use.
Skin Absorption:	No absorption hazard in normal industrial use.
Eye Contact:	Can cause minor irritation, tearing and reddening.
Ingestion Irritation:	No hazard in normal industrial use.
Ingestion Toxicity:	

### Long-Term (Chronic) Health Effects:

Carcinogenicity:	None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.
Reproductive and Developmental Toxicity:	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Inhalation:	Upon prolonged and/or repeated exposure, no hazard in normal industrial use.
Skin Contact:	Unlikely to cause irritation even on repeated contact.

# Safety Data Sheet

Product Name: WHITE MAGIC SEALER/WAX 16

Product identifier: 75A

Revision Date: 05-27-2015

Replaces:

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

## Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

## 12. Ecological information

**Ecotoxicity (aquatic and terrestrial, where available):** This material is not expected to be harmful to the ecology.

**Persistence and degradability:** No data available

**Mobility in soil:** No data available

**Other adverse effects (such as hazardous to the ozone layer):** No data available

## Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

## 13. Disposal considerations

**Description of waste residues:** Spent or discarded material is non-hazardous according to environmental regulations.

**Waste treatment methods (including packaging):** Dispose of in a landfill. Disposal is not likely to be regulated.

## 14. Transport information

**UN proper shipping name:** Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

## 15. Regulatory information

**TSCA Status:** All components in this product are on the TSCA Inventory.

# Safety Data Sheet

Product Name: WHITE MAGIC SEALER/WAX 16

Product identifier: 75A

Revision Date: 05-27-2015

Replaces:

## Regulated Components:

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available					

## 16. Other information, including date of preparation or last revision.

Revision Date: 05-27-2015

Revision Number: 2

**Disclaimer:** NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances